







Presentation**EXPRESS**



Х

Forces and Interactions

In the simplest sense, a force is a push or a pull.

A mutual action is an **interaction** between one thing and another.

PEARSON



Х



Х

Forces and Interactions

When you push on the wall, the wall pushes on you.





Forces and Interactions

The interaction that drives the nail is the same as the one that halts the hammer.

Presentation**EXPRESS**

Conceptual Physics



Х



Forces and Interactions

A hammer exerts a force on the nail and drives it into a board.

- There must also be a force exerted on the hammer to halt it in the process.
- Newton reasoned that while the hammer exerts a force on the nail, the nail exerts a force on the hammer.
- In the interaction, there are a pair of forces, one acting on the nail and the other acting on the hammer.





Х

Presentation**EXPRESS**

Conceptual Physics

Forces and Interactions think! Does a stick of dynamite contain force? Explain. Answer: No. Force is not something an object has, like mass. Force is an interaction between one object and another. An object may possess the capability of exerting a force on another object, but it cannot possess force as a thing in itself. Later we will see that something like a stick of dynamite possesses energy.







Presentation**EXPRESS**

Conceptual Physics



Newton's third law describes the relationship between two forces in an interaction.

Presentation**EXPRESS**

Conceptual Physics

- One force is called the action force.
- The other force is called the reaction force.
- Neither force exists without the other.
- They are equal in strength and opposite in direction.
- They occur at the same time (simultaneously).

Х

PEARSON

Newton's third law is often stated: "To every action there is always an equal opposing reaction."

Presentation**EXPRESS**

Conceptual Physics

Х

It doesn't matter which force we call *action* and which we call *reaction*.

In every interaction, the forces always occur in pairs.

- You push against the floor, and the floor simultaneously pushes against you.
- The tires of a car interact with the road to produce the car's motion. The tires push against the road, and the road simultaneously pushes back on the tires.

Presentation**EXPRESS**

Conceptual Physics

• When swimming, you push the water backward, and the water pushes you forward.



The interactions in these examples depend on friction.

A person trying to walk on ice, where friction is minimal,

may not be able to exert an action force against the ice.

Without the action force there cannot be a reaction force, and thus there is no resulting forward motion.



When the girl jumps to shore, the boat moves backward.

Presentation**EXPRESS**

Conceptual Physics





Х







Identifying Action and Reaction

To identify a pair of action-reaction forces, first identify the interacting objects A and B, and if the action is A on B, the reaction is B on A.



Identifying Action and Reaction There is a simple recipe for treating action and reaction forces: First identify the interaction. Let's say one object, A, interacts with another object, B. The action and reaction forces are stated in the form: Action: Object A exerts a force on object B. Reaction: Object B exerts a force on object A.

You can't pull on something unless that something simultaneously pulls on you. That's the law!













Presentation**EXPRESS**

pull on Earth? If so, which pull is stronger?

Identifying Action and Reaction

|--|

PEARSO

think!



Х









A given force exerted on a small mass produces a greater acceleration than the same force exerted on a large mass.



x//

Action and Reaction on Different Masses

Earth is pulled up by the boulder with just as much force as the boulder is pulled down by Earth.



Х

In the interaction between the boulder and Earth, the boulder pulls up on Earth with as much force as Earth pulls down on the boulder.

- The forces are equal in strength and opposite in direction.
- The boulder falls to Earth and Earth falls to the boulder, but the distance Earth falls is much less.



- Although the pair of forces between the boulder and Earth is the same, the masses are quite unequal.
- Acceleration is not only proportional to the net force, but it is also inversely proportional to the mass.
- Because Earth has a huge mass, we don't sense its
- infinitesimally small acceleration.

Force and Mass

When a cannon is fired, there is an interaction between the cannon and the cannonball.

• The force the cannon exerts on the cannonball is exactly equal and opposite to the force the cannonball exerts on the cannon.

Presentation**EXPRESS**

Conceptual Physics

- You might expect the cannon to kick more than it does.
- The cannonball moves so fast compared with the cannon.
- According to Newton's second law, we must also consider the masses.





The cannonball undergoes more acceleration than the cannon because its mass is much smaller.

Presentation**EXPRESS**

Conceptual Physics



F represents both the action and reaction forces; *m* (large), the mass of the cannon; and *m* (small), the mass of the cannonball.

Do you see why the change in the velocity of the cannonball is greater compared with the change in velocity of the cannon?

Cannonball:
$$\frac{F}{m} = a$$
 Cannon: $\frac{F}{m} = a$

Х

Action and Reaction on Different Masses

We can extend the basic idea of a cannon recoiling from the cannonball it launches to understand rocket propulsion.

The balloon recoils from the escaping air and climbs upward.



Presentation**EXPRESS**

Conceptual Physics



Х

- If a balloon is released and allowed to move, it accelerates as the air comes out.
- A rocket accelerates in much the same way—it continually recoils from the exhaust gases ejected from its engine.
- Each molecule of exhaust gas acts like a tiny molecular cannonball shot downward from the rocket.



A common misconception is that a rocket is propelled by the impact of exhaust gases against the atmosphere.

Presentation**EXPRESS**

Conceptual Physics

Both the rocket and recoiling cannon accelerate because of the reaction forces created by the "cannonballs" they fire—air or no air.

In fact, rockets work better above the atmosphere where there is no air resistance.


Action and Reaction on Different Masses

The rocket recoils from the "molecular cannonballs" it fires and climbs upward.



Presentation**EXPRESS**

Conceptual Physics

Х



Action and Reaction on Different Masses

Lift

- Using Newton's third law, we can understand how a helicopter gets its lifting force.
 - The whirling blades force air particles downward (action).
 - The air forces the blades upward (reaction).
 - This upward reaction force is called lift.
 - When lift equals the weight of the craft, the helicopter hovers in midair. When lift is greater, the helicopter climbs upward.





Action and Reaction on Different Masses

Birds and airplanes also fly because of action and reaction forces.

When a bird is soaring, the shape of its wings deflects air downward. The air in turn pushes the bird upward.

The slightly tilted wings of an airplane also deflect oncoming air downward and produce lift.

Action and Reaction on Different Masses think!

A tug of war occurs between boys and girls on a polished floor that's somewhat slippery. If the boys are wearing socks and the girls are wearing rubber-soled shoes, who will surely win, and why?



Presentation**EXPRESS**

Action and Reaction on Different Masses think!

A tug of war occurs between boys and girls on a polished floor that's somewhat slippery. If the boys are wearing socks and the girls are wearing rubber-soled shoes, who will surely win, and why?

Answer: The girls will win. The force of friction is greater between the girls' feet and the floor than between the boys' feet and the floor. When both the girls and the boys exert action forces on the floor, the floor exerts a greater reaction force on the girls' feet. The girls stay at rest and the boys slide toward the girls.





Action and reaction forces do not cancel each other when either of the forces is external to the system being considered.

Presentation**EXPRESS**

Conceptual Physics





Since action and reaction forces are equal and opposite, why don't they cancel to zero?

To answer this question, we must consider the system involved.



Presentation**EXPRESS**

Conceptual Physics







Х

Defining Systems

A force acts on the orange, and the orange accelerates to the right.

The dashed line surrounding the orange encloses and defines the system.





PEARSON

The vector that pokes outside the dashed line represents an external force on the system.

Presentation**EXPRESS**

Conceptual Physics

Х

The system (that is, the orange) accelerates in accord with Newton's second law.

Х

Defining Systems

The force on the orange, provided by the apple, is not cancelled by the reaction force on the apple. The orange still accelerates.



The force is provided by an apple, which doesn't change our analysis. The apple is outside the system.

The fact that the orange simultaneously exerts a force on the apple, which is external to the system, may affect the apple (another system), but not the orange.

You can't cancel a force on the orange with a force on the apple. So in this case the action and reaction forces don't cancel.

a. Action and reaction forces cancel.







Х

4 Newton's Third Law of Motion–Action and Reaction

- a. Action and reaction forces cancel.
- b. When the floor pushes on the apple (reaction to the apple's push on the floor), the orange-apple system accelerates.





Х



When the force pair is internal to the orange-apple system, the forces do cancel each other. They play no role in accelerating the system.

A force external to the system is needed for acceleration.

- When the apple pushes against the floor, the floor simultaneously pushes on the apple—an external force on the system.
- The system accelerates to the right.

Inside a baseball, trillions of interatomic forces hold the ball together but play no role in accelerating the ball. They are part of action-reaction pairs within the ball, but they combine to zero.

If the action-reaction forces are internal to the system, then they cancel and the system does not accelerate.

A force external to the ball, such as a swinging bat provides, is needed to accelerate the ball.











Х



Presentation**EXPRESS**

Conceptual Physics

4 Newton's Third Law of Motion–Action and Reaction

Defining Systems

- A football is kicked.
- a. A acts on B and B accelerates.
- b. Both A and C act on B. They can cancel each other so B does not
 - accelerate.

When there is one interaction between the foot and the football, the ball accelerates.

If two kicks on the ball are simultaneous, equal, and

- opposite, then the net force on the ball is zero.
- The opposing forces act on the same object, not on different objects, so they do not make up an action-reaction pair.

Presentation**EXPRESS**

Conceptual Physics

think!

Suppose a friend who hears about Newton's third law says that you can't move a football by kicking it because the reaction force by the kicked ball would be equal and opposite to your kicking force. The net force would be zero, so no matter how hard you kick, the ball won't move! What do you say to your friend?



think!

Suppose a friend who hears about Newton's third law says that you can't move a football by kicking it because the reaction force by the kicked ball would be equal and opposite to your kicking force. The net force would be zero, so no matter how hard you kick, the ball won't move! What do you say to your friend?

Answer: If you kick a football, it will accelerate. No other force has been applied to the ball. Tell your friend that you can't cancel a force on the ball with a force on your foot.







If the horse in the horse-cart system pushes the ground with a greater force than it pulls on the cart, there is a net force on the horse, and the horse-cart system accelerates.





All the pairs of forces that act on the horse and cart are shown. The acceleration of the horse-cart system is due to the net force F - f.





Will the horse's pull on the cart be canceled by the opposite and equal pull by the cart on the horse, thus making acceleration impossible?

From the farmer's point of view, the only concern is with the force that is exerted on the cart system.

- The net force on the cart, divided by the mass of the cart, is the acceleration.
- The farmer doesn't care about the reaction on the horse.

Now look at the horse system.

• The opposite reaction force by the cart on the horse restrains the horse.

Presentation**EXPRESS**

Conceptual Physics

- Without this force, the horse could freely gallop to the market.
- The horse moves forward by interacting with the ground.
- When the horse pushes backward on the ground, the ground simultaneously pushes forward on the horse.





Look at the horse-cart system as a whole.

- The pull of the horse on the cart and the reaction of the cart on the horse are internal forces within the system.
- They contribute nothing to the acceleration of the horse-cart system. They cancel and can be neglected.

- To move across the ground, there must be an interaction between the horse-cart system and the ground.
- It is the outside reaction by the ground that pushes the system.



Х

PEARSON





Х

Presentation**EXPRESS**



Presentation**EXPRESS**

Conceptual Physics



Х



Presentation**EXPRESS**

Conceptual Physics







Х

Presentation**EXPRESS**

Conceptual Physics



Presentation**EXPRESS**

Conceptual Physics







If a sheet of paper is held in midair, the heavyweight champion of the world could not strike the paper with a force of 200 N (45 pounds).

Presentation**EXPRESS**

Conceptual Physics

- The paper is not capable of exerting a reaction force of 200 N, and you cannot have an action force without a reaction force.
- If the paper is against the wall, then the wall will easily assist the paper in providing 200 N of reaction force, and more if needed!



PEARSON

Х

7.7 Action Equals Reaction

If you push hard on the world, for example, the world pushes hard on you.

If you touch the world gently, the world will touch you gently in return.
7.7 Action Equals Reaction

You cannot touch without being touched—Newton's third law.







Conceptual Physics Assessment Questions 1. A force interaction requires at least a(n) single force. a. pair of forces. b. c. action force. d. reaction force.

Presentation**EXPRESS**

Х



Presentation**EXPRESS**

Х

Assessment Questions

- 2. Whenever one object exerts a force on a second object, the second object exerts a force on the first that is
 - a. opposite in direction and equal in magnitude at the same time.
 - b. in the same direction and equal in magnitude a moment later.
 - c. opposite in direction and greater in magnitude at the same time.
 - d. in the same direction and weaker in magnitude a moment later.

Assessment Questions

- 2. Whenever one object exerts a force on a second object, the second object exerts a force on the first that is
 - a. opposite in direction and equal in magnitude at the same time.
 - b. in the same direction and equal in magnitude a moment later.
 - c. opposite in direction and greater in magnitude at the same time.
 - d. in the same direction and weaker in magnitude a moment later.

Answer: A



New	ton's Tl	hird Law of Motion–Action and Reaction	Conceptual Physics	
As	ses	sment Questions		
3.	The prov	force that directly propels a motor scoot ided by the	er along a highway is that	
	a.	engine.		
	b.	fuel.		
	C.	tires.		
	d.	road.		

Presentation**EXPRESS**

X

PEARSON

Newto	on's Th	nird Law of Motion–Action and Reaction	Presentation EXPRESS Conceptual Physics
As	ses	sment Questions	
3.	The prov a. b. c. d.	force that directly propels a motor scoote ided by the engine. fuel. tires. road.	ər along a highway is that
Ansv	ver:	D	

PEARSON

Assessment Questions

n's Th	hird Law of Motion–Action and Reaction	Conceptual Physics
ses	sment Questions	
Whe to	en you jump vertically upward, strictly sp	eaking, you cause Earth
a.	move downward.	
b.	also move upward with you.	
C.	remain stationary.	
d.	move sideways a bit.	

Presentation**EXPRESS**

Х

- b. also move upward with yo
- remain stationary. C.
- move sideways a bit. d.

4.

Newt	ton's Tl	nird Law of Motion–Action and Reaction	PresentationEXPRESS Conceptual Physics
As	ses	sment Questions	
4.	Whe to	en you jump vertically upward, strictly sp	eaking, you cause Earth
	a.	move downward.	
	b.	also move upward with you.	
	C.	remain stationary.	
	d.	move sideways a bit.	
Ans	wer: /	A	





- 5. A system undergoes acceleration only when acted on by a(n)
 - a. net force.
 - b. pair of forces.
 - c. action and reaction forces.
 - d. internal interactions.







Presentation**EXPRESS**

Answer: A

5.

Ĩ	

Х

4 Newton	's Th	ird Law of Motion–Action and Reaction	Presentation EXPRESS Conceptual Physics
Ass	es	sment Questions	
6. li h	f a r Iors	net force acts on a horse while it is pullir e	ig a wagon, the
	a.	accelerates.	
	b.	is restrained.	
	C.	is pulled backward by an equal and op	posite net force.
	d.	cannot move.	

4 Newton's T	hird Law of Motion–Action and Reaction	Presentation EXPRESS Conceptual Physics
Asses	ssment Questions	
6. If a hor	net force acts on a horse while it is pullir se	ng a wagon, the
a.	accelerates.	
b.	is restrained.	
C.	is pulled backward by an equal and op	posite net force.
d.	cannot move.	
Answer:	A	





Assessment Questions 7. At a pizza shop, the cook throws the pizza dough in the air. The amount of force the cook exerts on the dough depends on the a. mass of the dough.

- b. strength of the cook.
- c. weight of the dough.
- d. height of the cook.

1	
	1

Assessment Questions		
 7. At a pizza shop, the cook throws the pizza dough in the air. The amount of force the cook exerts on the dough depends on the a. mass of the dough. b. strength of the cook. c. weight of the dough. d. height of the cook. 		
Answer: A		

.

Х